



EVH Clinical Guideline 2724.CC Authorization for Observation vs. Inpatient Admission Level of Care

Guideline Number:

EVH_CG_2724.CC

"Evolent" refers to Evolent Health LLC and Evolent Specialty Services, Inc.

© 2021 - 2025 Evolent. All rights Reserved.

Original Date:

March 15, 2021

Last Revised Date:

November 20, 2025

December 1, 2025

TABLE OF CONTENTS

STATEMENT	2
GENERAL INFORMATION	
INDICATIONS	
OBSERVATION STAYS	2
INPATIENT STAYS	
LIMITATIONS	3
CODING AND STANDARDS	
Codes	
Conditions	
APPLICABLE LINES OF BUSINESS	11
BACKGROUND	11
DEFINITIONS	11
GENERAL INFORMATION	12
POLICY HISTORY	13
LEGAL AND COMPLIANCE	13
GUIDELINE APPROVAL	
Committee	
DISCLAIMER	13
DEEEDENCES	1/





STATEMENT

General Information

- It is an expectation that all patients receive care/services from a licensed clinician. All appropriate supporting documentation, including recent pertinent office visit notes, laboratory data, and results of any special testing must be provided. If applicable: All prior relevant imaging results and the reason that alternative imaging cannot be performed must be included in the documentation submitted.
- Where a specific clinical indication is not directly addressed in this guideline, medical necessity determination will be made based on widely accepted standard of care criteria. These criteria are supported by evidence-based or peer-reviewed sources such as medical literature, societal guidelines, and state/national recommendations.
- The guideline criteria in the following sections were developed utilizing evidence-based and peer-reviewed resources from medical publications and societal organization guidelines as well as from widely accepted standard of care, best practice recommendations.

INDICATIONS

Observation Stays

CountyCare considers **Observation Stays** medically necessary for **ANY** of the following indications ^(1,2):

- Member is clinically unstable for discharge
- Continuous clinical monitoring, and/or laboratory, radiologic, or other testing is necessary to assess the member's need for hospitalization, overall severity and intensity of services needed
- A treatment plan is not established or based upon the member's condition, is anticipated to be completed within a period not to exceed 48 hours
- Changes in status or condition are not anticipated, and immediate medical intervention may be required

Inpatient Stays

CountyCare considers **Inpatient Stays** medically necessary for **ANY** of the following indications:

- The member's immediate condition is reported to be life threatening or the member is presenting rapid deterioration appropriate for inpatient level of care
- The member's status is determined by acute medical examination to be unstable and the member's response to treatment is negative or trending downward
- The member's acuity of illness/injury necessitates the intensity of services that require





inpatient admission level of care for improvement of the medical condition or to provide life sustaining treatment.

LIMITATIONS

Observation services that extend beyond a 48-hour period are generally not covered. Providers must contact the Utilization Management Department and obtain approval for inpatient status for any services beyond the initial 48-hour period.

Per IL Dept of Healthcare and Family Services Handbook for Providers of Hospital services H-270.1:

"Some patients, while not requiring hospital admission, may require an extended period of observation. Appropriate observation and appropriate ancillary services may be obtained as an outpatient to determine the patient's future medical management. While the continued outpatient observation period may be medically necessary, admission to the hospital may not be medically necessary. Observation services should be used only for patients who do not meet medical necessity for inpatient admission."

The following is a sample list (not all inclusive) of services that are not considered appropriate for observation nor inpatient services:

- Services that are not reasonable or necessary for the diagnosis or treatment of the member
- Outpatient blood or chemotherapy administration
- Lack of/delay in member transportation
- Delayed discharge or inability to discharge due to no available bed at accepting facility
- Provision of a medical exam for members who do not require skilled support
- Routine preparation prior to and recovery after diagnostic testing
- Routine recovery and post-operative care after ambulatory surgery
- When used as a substitute for inpatient admission
- When used for the convenience of the physician, member, or member's family
- While awaiting transfer to another facility
- When an overnight stay is planned prior to diagnostic testing
- Custodial care
- Standing orders following outpatient surgery
- Services that would normally require inpatient stay
- Observation following an uncomplicated treatment or procedure
- Services provided concurrently with chemotherapy
- When used due to socio-economic or psycho-social factors





CODING AND STANDARDS

Codes

N/A

Conditions

Diagnoses, condition, or symptom for Guideline Application (adults and peds)

System	Condition
Constitutional	Abdominal Pain
	Back Pain
	Dehydration
	Failure to thrive
	Febrile illness/Fever
	General malaise
	 Generalized infection (bacterial, parasitic, or viral) in any area of the body to include genitals, mouth, or rectum- excluding sepsis
	Hyperemesis (with or without pregnancy)
	Nausea
	Pain management
	Sleep disorders
	Syncope
	 Tenderness of any site (unspecified, abdomen, throat, chest, ocular etc.)
	Volume depletion
	Vomiting
Eyes	Disorders of optic nerve and visual pathways
	Disorder of orbit
ENT	Acute or Chronic Tonsillitis, peritonsillar abscess, and/or Adenoid inflammation
	Dysphagia





System	Condition
	Ear Pain
	Ear Inflammation
	Epiglottitis
	Epistaxis
	Laryngitis (acute)
	Lymph node inflammation or swelling
	Otitis external
	Swimmers' ear
Cardiovascular	Acute Coronary Syndrome (Acute MI)
	Angina
	Atherosclerotic heart disease
	Chest Pain (including Precordial, Intercostal, unspecified)
	Heart Failure
	Hypertension, Hypertension crisis, Hypotension
	Ischemic heart disease (acute or chronic)
Respiratory	Acute respiratory infection
	Abnormalities of breathing
	Asthma
	Bronchiectasis
	Bronchitis (acute and chronic)
	Bronchiolitis
	Chronic Obstructive Pulmonary disease (COPD)
	Cough
	Croup
	Difficulty Breathing
	Dyspnea
	Emphysema
	Influenza
	Interstitial lung disease





System	Condition
	Mouth Breathing
	Orthopnea
	Periodic Breathing
	Pneumonia
	Pneumonitis
	Sarcoidosis
	SOB (Shortness of Breath)
	Stridor
	Tachypnea
	Wheezing
Gastrointestinal	Abscess of anal and rectal regions
	Abdominal Hernia
	Acute Appendicitis, unspecified appendicitis
	Diaphragmatic hernia
	Alcoholic liver disease
	Ascites
	Cirrhosis of liver
	Cholelithiasis
	Cholecystitis
	Colitis (ulcerative)
	 Congenital malformations of upper GI tract/ Hypertrophic pyloric stenosis
	Crohn's Disease
	Diarrhea
	Disease of anus and rectum
	 Diseases of liver, stomach, and Duodenum (removed word other)
	 Disorders of fluid electrolyte and acid base balance (example: Hyper/Hyponatremia, hyper/hypokalemia, hyper/hypocalcemia, etc.)
	Diverticulitis





System	Condition
	Diverticulosis
	Duodenitis
	Enteritis
	Esophagitis
	Esophageal disease
	Fibrosis of liver
	Functional Dyspepsia
	Functional Intestinal disorders including motility issues
	Gallbladder/Bile duct infection or ductal stone
	Gastroenteritis
	• GERD
	GI bleeding/hemorrhage
	Hematemesis
	Hemorrhoids
	Hepatic Failure
	Hernia
	Inguinal hernia
	Intestinal Infection (including Salmonella Infections)
	Jaundice in adults (unspecified)
	Pancreatitis (acute)
	Perianal venous thrombosis
	Peptic ulcer disease
	Pyloric stenosis
	Umbilical hernia
	Jaundice in adults
Genitourinary	Calculus of kidney and ureter
	Chronic Kidney Disease and End Stage Renal Disease
	Cystitis
	Disorders of penis





System	Condition
	Disorders of urinary system
	Dysuria
	Epididymitis
	Hematuria
	Hydronephrosis
	Incontinence
	Kidney Stones
	Nephritis
	Nephrotic syndrome
	Obstructive and reflex uropathy
	Orchitis/Disorder of one or both testicles
	Prostate disorders
	 Pyelonephritis
	Renal Colic
	Retention of urine
	 UTI (Urinary tract infection) both pregnant and non- pregnant women, personal history of UTI
	UTI unspecified
	Urosepsis
	Vaginal bleeding
Musculoskeletal	Cervical disc Disorders
	 Fatigue (of any area- leg, arm, generalized, facial muscle etc.)
	Fracture of ribs, forearm, femur, lower leg including ankle
	Gait and mobility abnormalities
	 Joint swelling/inflammation (excludes joint replacement which falls under arthroplasty medical policy)
	Kyphosis
	Lack of coordination
	Rhabdomyolysis





System	Condition
	Spondylosis
	Synovitis
	 Tenosynovitis
	Thoracic disorders
Integumentary	Abscess, sinus opening of skin, or cyst
	Cellulitis
	Dermatitis
	Erythematous conditions of skin
	 Infection of skin/surgical site/wound, etc.
	 Localized swelling, mass, and lump of skin
	Non pressure chronic ulcers
	Pressure Ulcers
	Other skin changes
	Rash
	Urticaria
Neurologic	Altered Mental Status
	Amnesia
	Aphasia
	Asthenia
	Concussion (mild)
	Convulsions
	Disorientation
	Dizziness
	 Encephalopathy
	Encephalomyelitis
	Disorders of the brain
	Epilepsy
	Giddiness
	Headaches





System	Condition
	Migraines (intractable, non-retractable, unspecified, vascular, etc.)
	Seizures
	Traumatic Brain Injury
	Transient Alteration of Awareness
	Transient Ischemic Attack
	Weakness
Psychiatric	Cocaine related disorders
	Drug overdose, caustic, or poison ingestion
	Opioid Related Disorders
	Other anxiety disorders in med surg bed
	Other psychoactive, substance disorders
Endocrine	Diabetes Mellitus
	Type II DM
	Diabetic Ketoacidosis or any type
	Hypoglycemia
	Hyperglycemia
	Hyperthyroidism/Thyrotoxicosis/Thyrotoxic crisis or storm
	Ketoacidosis
	Hyperosmolarity
Hematological	Anemia
	Bleeding
	HB SS Disease with or without crisis
	Iron deficiency anemia
	Red blood cell disorders
	Sickle cell anemia with or without crisis
	Sickle cell thalassemia with or without crisis
	Sickle cell thalassemia beta plus with or without crisis
	Unspecified Anemia





System	Condition
Reproductive	Abnormal uterine bleeding
	Breast Disorders
	 Ectopic Pregnancy (excludes elective abortions as they are not covered by HP only covered directly with HFS)
	Endometriosis
	Excessive vomiting in pregnancy
	Female genitals prolapse
	Inflammation of Vagina and vulva
	Inflammatory disorders of the breast
	 Inflammatory/Noninflammatory disorder of ovary, fallopian, and broad ligament
	Menopausal or perimenopausal disorders
	Oophoritis
	Ovarian cysts
	Pelvic Inflammatory Disease
	Salpingitis

Applicable Lines of Business

	CHIP (Children's Health Insurance Program)
	Commercial
	Exchange/Marketplace
\boxtimes	Medicaid
	Medicare Advantage

BACKGROUND

Definitions

• **Inpatient** is defined as a person who has been admitted to a hospital for bed occupancy for purposes of receiving inpatient hospital services that is expected to span at least two

Page 11 of 14

EVH Clinical Guideline 2724.CC for Authorization for Observation vs. Inpatient Admission Level of Care





midnights and occupy a bed even though it later develops that the member can be discharged or transferred to another hospital and not actually use a hospital bed overnight.

Observation Care is a well-defined set of specific, clinically appropriate services, which
include ongoing short-term treatment, assessment, and reassessment, that are
furnished while a decision is being made regarding whether members will require further
treatment as hospital inpatients or if they are able to be discharged from the hospital.

This period of observation that follows an emergent medical admission, is defined as post stabilization per IL 215 ILCS 134/10-Sec.10) Managed Care Reform and Patient Rights Act ⁽³⁾:

- Post-stabilization medical services means health care services provided to an enrollee that are furnished in a licensed hospital by a provider that is qualified to furnish such services and determined to be medically necessary and directly related to the emergency medical condition following stabilization.
- Stabilization means, with respect to an emergency medical condition, to provide such medical treatment of the condition as may be necessary to assure, within reasonable medical probability, that no material deterioration of the condition is likely to result.

General Information

In most cases, the decision whether to discharge a member from the hospital following resolution of the reason for the observation care or to admit the member as an inpatient can be made in less than 48 hours, usually in less than 24 hours during post stabilization. Observation services up to 48 hours do not require prior authorization.

Additionally, per IL Dept of Healthcare and Family Services Handbook for Providers of Hospital services (issued 2014) Chapter H-200 under Observation Services (4):

- Per Observation Services H-270.1:
 - O "Observation is established to reimburse services that are provided when a patient's current condition does not warrant an inpatient admission but does require an extended period of observation in order to evaluate and treat the patient in a setting which provides ancillary resources for diagnosis or treatment with appropriate medical and skilled nursing care."
- Per Section H-262:
 - "Inpatient services are covered when a patient's medical necessity for services on an inpatient basis are documented."





POLICY HISTORY

Date	Summary
November 20, 2025	This guideline replaces PA.227.CC Authorization for Observation vs. Inpatient Admission Level of Care
	Editorial changes to match the formatting and layout of the new template, no changes to clinical content

LEGAL AND COMPLIANCE

Guideline Approval

Committee

Reviewed / Approved by Evolent Administrative Services Medical Policy Committee

Disclaimer

Evolent Clinical Guidelines do not constitute medical advice. Treating health care professionals are solely responsible for diagnosis, treatment, and medical advice. Evolent uses Clinical Guidelines in accordance with its contractual obligations to provide utilization management. Coverage for services varies for individual members according to the terms of their health care coverage or government program. Individual members' health care coverage may not utilize some Evolent Clinical Guidelines. Evolent clinical guidelines contain guidance that requires prior authorization and service limitations. A list of procedure codes, services or drugs may not be all inclusive and does not imply that a service or drug is a covered or non-covered service or drug. Evolent reserves the right to review and update this Clinical Guideline in its sole discretion. Notice of any changes shall be provided as required by applicable provider agreements and laws or regulations. Members should contact their Plan customer service representative for specific coverage information.

This guideline is the proprietary information of Evolent. Any sale, copying, or dissemination of said policies is prohibited.





REFERENCES

- Southerland LT, Vargas AJ, Nagaraj L, Gure TR, Caterino JM. An Emergency Department Observation Unit Is a Feasible Setting for Multidisciplinary Geriatric Assessments in Compliance With the Geriatric Emergency Department Guidelines. Academic Emergency Medicine. 2018;25(1):76-82. doi:10.1111/acem.13328
- 2. Conners GP, Melzer SM, Percelay JM, et al. Pediatric Observation Units. Pediatrics. 2012;130(1):172-179. doi:10.1542/peds.2012-1358
- 3. Illinois General Assembly. Managed Care Reform and Patient Rights Act. Definitions. 215 ILCS 134/10.
 - https://www.ilga.gov/legislation/ilcs/ilcs3.asp?ActID=1265&ChapterID=22
- Illinois Department of Healthcare and Family Services. Medical Provider Handbooks. Hospital. Handbook for Providers of Hospital Services. Chapter H-200. Issued: September 2014. https://hfs.illinois.gov/content/dam/soi/en/web/hfs/sitecollectiondocuments/h200.pdf