

### POLICY AND PROCEDURE MANUAL

Policy Number: PA.227.CC Last Review Date: 11/16/2023 Effective Date: 12/01/2023

### PA.227.CC Authorization for Observation vs. Inpatient Admission Level of Care

### Summary

According to CMS, inpatient is defined as a person who has been admitted to a hospital for bed occupancy for purposes of receiving inpatient hospital services. Generally, a patient is considered an inpatient if formally admitted as inpatient with the expectation that he or she will remain at least overnight and occupy a bed even though it later develops that the patient can be discharged or transferred to another hospital and not actually use a hospital bed overnight. The admitting physician responsible for a patient's care at the hospital is also responsible for deciding whether the patient should be admitted as an inpatient.

According to CMS, Observation care is a well-defined set of specific, clinically appropriate services, which include ongoing short-term treatment, assessment, and reassessment, that are furnished while a decision is being made regarding whether patients will require further treatment as hospital inpatients or if they are able to be discharged from the hospital. Observation services are commonly ordered for patients who present to the emergency department and who then require a significant period of treatment or monitoring concerning their admission or discharge.

This period of observation that follows an emergent medical admission, is defined as post stabilization per IL 215 ILCS 134/10-Sec.10) Managed Care Reform and Patient Rights Act.

"Post-stabilization medical services" means health care services provided to an enrollee that are furnished in a licensed hospital by a provider that is qualified to furnish such services and determined to be medically necessary and directly related to the emergency medical condition following stabilization.

"Stabilization" means, with respect to an emergency medical condition, to provide such medical treatment of the condition as may be necessary to assure, within reasonable medical probability, that no material deterioration of the condition is likely to result.



Policy Number: PA.227.CC Last Review Date: 11/16/2023 Effective Date: 12/01/2023

In most cases, the decision whether to discharge a patient from the hospital following resolution of the reason for the observation care or to admit the patient as an inpatient can be made in less than 48 hours, usually in less than 24 hours during post stabilization. Observation services up to 48 hours do not require prior authorization.

Additionally, per IL Dept of Healthcare and Family Services Handbook for Providers of Hospital services (issued 2014) Chapter H-200 under Observation Services:

### **Observation Services H-270.1**

"Observation is established to reimburse services that are provided when a patient's current condition does not warrant an inpatient admission but does require an extended period of observation in order to evaluate and treat the patient in a setting which provides ancillary resources for diagnosis or treatment with appropriate medical and skilled nursing care."

### Per section H-262

"Inpatient services are covered when a patient's medical necessity for services on an inpatient basis are documented."

### CountyCare considers Observation Stays medically necessary when:

- The patient is clinically unstable for discharge; and
- Requires continuous clinical monitoring, and/or laboratory, radiologic, or other testing is necessary to assess the patient's need for hospitalization, overall severity and intensity of services needed, or
- Changes in status or condition are not anticipated and immediate medical intervention is not required, only monitoring is needed, or
- Treatment plan could be administered in a lower level of care because the member is stable and being observed for a change in condition or response to the ordered treatment

### CountyCare considers Inpatient Stays medically necessary when:

- The patient's immediate condition is reported to be life threatening or the patient is presenting rapid deterioration appropriate for inpatient level of care.
- The patient's status is determined by acute medical examination to be unstable and the member's response to treatment is negative or trending downward

#### Limitations



Policy Number: PA.227.CC Last Review Date: 11/16/2023 Effective Date: 12/01/2023

Observation services at INN facilities that extend beyond a 48-hour period are not covered without a prior authorization. Providers must contact the Utilization management department and obtain approval for inpatient status for any services beyond the initial 48-hour period. Medical necessity must be established for conversion to inpatient status. Failure to obtain authorization may result in nonpayment.

Per IL Dept of Healthcare and Family Services Handbook for Providers of Hospital services H-270.1:

"Some patients, while not requiring hospital admission, may require an extended period of observation. Appropriate observation and appropriate ancillary services may be obtained as an outpatient to determine the patient's future medical management. While the continued outpatient observation period may be medically necessary, admission to the hospital may not be medically necessary. Observation services should be used only for patients who do not meet medical necessity for inpatient admission."

The following is a sample list (not all inclusive) of services that are not considered appropriate for observation nor inpatient services:

- services that are not reasonable or necessary for the diagnosis or treatment of the patient
- outpatient blood or chemotherapy administration
- lack of/delay in patient transportation
- provision of a medical exam for patients who do not require skilled support
- routine preparation prior to and recovery after diagnostic testing
- routine recovery and post-operative care after ambulatory surgery
- when used as a substitute for inpatient admission
- when used for the convenience of the physician, patient, or patient's family
- while awaiting transfer to another facility
- when an overnight stay is planned prior to diagnostic testing
- · custodial care
- standing orders following outpatient surgery
- services that would normally require inpatient stay
- observation following an uncomplicated treatment or procedure
- services provided concurrently with chemotherapy
- when used due to socio- economic or psycho-social factors

## <u>Diagnoses, condition or symptom for Policy Application</u> (adults and peds)

	System	Condition
--	--------	-----------



O = == (!(== (! = == = 1	ALL LIB.
Constitutional	Abdominal Pain
	Back Pain
	<ul> <li>Dehydration</li> </ul>
	Failure to thrive
	Febrile illness/Fever
	General malaise
	<ul> <li>Generalized infection (bacterial, parasitic, or viral) in</li> </ul>
	any area of the body to include genitals, mouth, or
	rectum- excluding sepsis
	<ul> <li>Hyperemesis (with or without pregnancy)</li> </ul>
	Nausea
	Pain management
	Sleep disorders
	Syncope
	<ul> <li>Tenderness of any site (unspecified, abdomen, throat,</li> </ul>
	chest, ocular etc.)
	<ul> <li>Volume depletion</li> </ul>
	Vomiting
Eyes	<ul> <li>Disorders of optic nerve and visual pathways</li> </ul>
	Disorder of orbit
ENT	<ul> <li>Acute or Chronic Tonsillitis, peritonsillar abscess,</li> </ul>
	and/or Adenoid inflammation
	Dysphagia
	Ear Pain
	Ear Inflammation
	Epiglottitis
	Epistaxis
	Laryngitis (acute)
	<ul> <li>Lymph node inflammation or swelling</li> </ul>
	Otitis external
	Swimmers' ear
Cardiovascular	<ul> <li>Acute Coronary Syndrome (Acute MI)</li> </ul>
	Angina
	Atherosclerotic heart disease
	<ul> <li>Chest Pain (including Precordial, Intercostal,</li> </ul>
	unspecified)
	Heart Failure
	<ul> <li>Hypertension, Hypertension crisis, Hypotension</li> </ul>



	Ischemic heart disease (acute or chronic)
Respiratory	Acute respiratory infection
	Abnormalities of breathing
	Asthma
	Bronchiectasis
	Bronchitis (acute and chronic)
	Bronchiolitis
	<ul> <li>Chronic Obstructive Pulmonary disease (COPD)</li> </ul>
	Cough
	Croup
	Difficulty Breathing
	Dyspnea
	Emphysema
	<ul> <li>Influenza</li> </ul>
	<ul> <li>Interstitial lung disease</li> </ul>
	Mouth Breathing
	<ul> <li>Orthopnea</li> </ul>
	<ul> <li>Periodic Breathing</li> </ul>
	Pneumonia
	<ul> <li>Pneumonitis</li> </ul>
	<ul> <li>Sarcoidosis</li> </ul>
	<ul> <li>SOB (Shortness of Breath)</li> </ul>
	• Stridor
	<ul> <li>Tachypnea</li> </ul>
	Wheezing
Gastrointestinal	<ul> <li>Abscess of anal and rectal regions</li> </ul>
	Abdominal Hernia
	<ul> <li>Acute Appendicitis, unspecified appendicitis</li> </ul>
	Diaphragmatic hernia
	Alcoholic liver disease
	• Ascites
	Cirrhosis of liver
	Cholelithiasis
	Cholecystitis
	Colitis (ulcerative)
	Congenital malformations of upper GI tract/
	Hypertrophic pyloric stenosis
	Crohn's Disease



	, ,
	Diarrhea
	Disease of anus and rectum
	<ul> <li>Diseases of liver, stomach, and Duodenum (removed word other)</li> </ul>
	Disorders of fluid electrolyte and acid base balance (example: Hyper/Hyponatremia, hyper/hypokalemia, hyper/hypocalcemia, etc.)
	Diverticulitis
	Diverticulosis
	Duodenitis
	Enteritis
	Esophagitis
	Esophageal disease
	Fibrosis of liver
	Functional Dyspepsia
	Functional Intestinal disorders including motility issues
	Gallbladder/Bile duct infection or ductal stone
	Gastroenteritis
	GERD
	GI bleeding/hemorrhage
	Hematemesis
	Hemorrhoids
	Hepatic Failure
	Hernia
	Inguinal hernia
	Intestinal Infection (including Salmonella Infections)
	Jaundice in adults (unspecified)
	Pancreatitis (acute)
	Perianal venous thrombosis
	Peptic ulcer disease
	Pyloric stenosis
	Umbilical hernia
	Jaundice in adults
Genitourinary	Calculus of kidney and ureter
	Chronic Kidney Disease and End Stage Renal Disease
	Cystitis
	Disorders of penis



	<ul> <li>Disorders of urinary system</li> </ul>
	<ul> <li>Dysuria</li> </ul>
	Epididymitis
	<ul> <li>Hematuria</li> </ul>
	<ul> <li>Hydronephrosis</li> </ul>
	<ul> <li>Incontinence</li> </ul>
	Kidney Stones
	Nephritis
	Nephrotic syndrome
	<ul> <li>Obstructive and reflex uropathy</li> </ul>
	<ul> <li>Orchitis/Disorder of one or both testicles</li> </ul>
	Prostate disorders
	Pyelonephritis
	Renal Colic
	Retention of urine
	<ul> <li>UTI (Urinary tract infection) both pregnant and non-</li> </ul>
	pregnant women, personal history of UTI
	UTI unspecified
	Urosepsis
	Vaginal bleeding
Musculoskeletal	<ul> <li>Cervical disc Disorders</li> </ul>
	<ul> <li>Fatigue (of any area- leg, arm, generalized, facial</li> </ul>
	muscle etc.)
	<ul> <li>Fracture of ribs, forearm, femur, lower leg including</li> </ul>
	ankle
	<ul> <li>Gait and mobility abnormalities</li> </ul>
	<ul> <li>Joint swelling/inflammation (excludes joint</li> </ul>
	replacement which falls under arthroplasty medical
	policy)
	<ul> <li>Kyphosis</li> </ul>
	<ul> <li>Lack of coordination</li> </ul>
	<ul> <li>Rhabdomyolysis</li> </ul>
	<ul> <li>Spondylosis</li> </ul>
	Synovitis
	<ul> <li>Tenosynovitis</li> </ul>
	Thoracic disorders
Integumentary	<ul> <li>Abscess, sinus opening of skin, or cyst</li> </ul>
	Cellulitis



	Dermatitis
	Erythematous conditions of skin
	<ul> <li>Infection of skin/surgical site/wound, etc</li> </ul>
	<ul> <li>Localized swelling, mass, and lump of skin</li> </ul>
	Non pressure chronic ulcers
	Pressure Ulcers
	Other skin changes
	• Rash
	Urticaria
Neurologic	Altered Mental Status
	Amnesia
	Aphasia
	Asthenia
	Concussion (mild)
	Convulsions
	Disorientation
	Dizziness
	Encephalopathy
	Encephalomyelitis
	Disorders of the brain
	Epilepsy
	Giddiness
	Headaches
	Migraines (intractable, non-retractable, unspecified,
	vascular, etc.)
	Seizures
	Traumatic Brain Injury
	Transient Alteration of Awareness
	Transient Ischemic Attack
	Weakness
Psychiatric	Cocaine related disorders
	<ul> <li>Drug overdose, caustic, or poison ingestion</li> </ul>
	Opioid Related Disorders
	Other anxiety disorders in med surg bed
	Other psychoactive, substance disorders
Endocrine	Diabetes Mellitus
	Type II DM
	Diabetic Ketoacidosis or any type



Policy Number: PA.227.CC Last Review Date: 11/16/2023 Effective Date: 12/01/2023

	Hypoglycemia
	Hyperglycemia
	<ul> <li>Hyperthyroidism/Thyrotoxicosis/Thyrotoxic crisis or</li> </ul>
	storm
	Ketoacidosis
	Hyperosmolarity
Hematological	Anemia
_	Bleeding
	HB SS Disease with or without crisis
	Iron deficiency anemia
	Red blood cell disorders
	Sickle cell anemia with or without crisis
	Sickle cell thalassemia with or without crisis
	Sickle cell thalassemia beta plus with or without crisis
	Unspecified Anemia
Reproductive	Abnormal uterine bleeding
	Breast Disorders
	<ul> <li>Ectopic Pregnancy (excludes elective abortions as they</li> </ul>
	are not covered by HP only covered directly with HFS)
	Endometriosis
	Excessive vomiting in pregnancy
	Female genitals prolapse
	Inflammation of Vagina and vulva
	Inflammatory disorders of the breast
	Inflammatory/Noninflammatory disorder of ovary,
	fallopian, and broad ligament
	Menopausal or perimenopausal disorders
	Oophoritis
	Ovarian cysts
	Pelvic Inflammatory Disease
	Salpingitis
	- Carbinatio

### References

1. Illinois General Assembly. Managed Care Reform and Patient Rights Act. Definitions. 215 ILCS 134/10. <a href="https://www.ilga.gov/legislation/ilcs/ilcs3.asp?ActID=1265&ChapterID=22">https://www.ilga.gov/legislation/ilcs/ilcs3.asp?ActID=1265&ChapterID=22</a>



Policy Number: PA.227.CC Last Review Date: 11/16/2023 Effective Date: 12/01/2023

- 2. Illinois Department of Healthcare and Family Services. Medical Provider Handbooks. Hospital. Handbook for Providers of Hospital Services. Chapter H-200. Issued: September 2014.
  - https://www2.illinois.gov/hfs/MedicalProviders/Handbooks/Pages/Chapter200.aspx
- Centers for Medicare & Medicaid Services. Medicare Benefit Policy Manual.
   Outpatient Observation Services.

www.cms.gov/Regulations-and-

Guidance/Guidance/Manuals/Downloads/bp102c06.pdf

- Centers for Medicare & Medicaid Services IOM 100-04, Medicare Claims Processing. Manual, Chapter 4, Section 290.1. www.cms.gov/Regulations-and-
  - Guidance/Guidance/Manuals/downloads/clm104c04.pdf
- 5. Baugh CW, Graff L IV. Observation medicine and clinical decision units (overview). Rosen's Emergency Medicine. 9th ed. Philadelphia, PA: Elsevier; 2018.
- 6. GINA Report, Global Strategy for Asthma Management and Prevention. 2020. https://ginasthma.org/gina-reports/
- 7. InterQual® Criteria 2020 Release. Level of Care Adult and Level of Care Pediatric.
- 8. Medicare Benefit Policy Manual. Chapter 6 -20.5-Outpatient Observation Services. Rev. 10541, 12-31-20.
  - https://www.cms.gov/files/document/r10541bp.pdf
- Southerland LT, Vargas AJ, Nagaraj L, et al. An emergency department observation unit is a feasible setting for multidisciplinary geriatric assessments in compliance with the Geriatric Emergency Department Guidelines. Academic Emergency Medicine 2018;25(1):76-82. <a href="https://pubmed.ncbi.nlm.nih.gov/28975679/">https://pubmed.ncbi.nlm.nih.gov/28975679/</a>
- 10. Sun BC, McCreath H, Liang LJ, et al. Randomized clinical trial of an emergency department observation syncope protocol versus routine inpatient admission. Ann Emerg Med. 2014 Aug;64(2):167-75. https://pubmed.ncbi.nlm.nih.gov/24239341/
- 11. Wheatley MA, Ross MA. Care of Neurologic Conditions in an Observation Unit. Emerg Med Clin North Am. 2017 Aug;35(3):603-623. https://pubmed.ncbi.nlm.nih.gov/28711127/

### **Revision History:**

Revision	Date
Policy Created	March 2021
Approved	March 2021



Policy Number: PA.227.CC Last Review Date: 11/16/2023 Effective Date: 12/01/2023

Revised	April 2022
Revised	Dec 2022
Annual review was completed, Evolent November, 2023	
logo was updated	

### Disclaimer:

CountyCare medical payment and prior authorization policies do not constitute medical advice and are not intended to govern or otherwise influence the practice of medicine. The policies constitute only the reimbursement and coverage guidelines of CountyCare and its affiliated managed care entities. Coverage for services varies for individual members in accordance with the terms and conditions of applicable Certificates of Coverage, Summary Plan Descriptions, or contracts with governing regulatory agencies.

CountyCare reserves the right to review and update the medical payment and prior authorization guidelines in its sole discretion. Notice of such changes, if necessary, shall be provided in accordance with the terms and conditions of provider agreements and any applicable laws or regulations.

These policies are the proprietary information of Evolent. Any sale, copying, or dissemination of said policies is prohibited.

